19

20

1	H.235
2	Introduced by Representatives Martin of Springfield, Deen of Westminster,
3	McCullough of Williston, Pellett of Chester, Spengler of
4	Colchester and Zenie of Colchester
5	Referred to Committee on
6	Date:
7	Subject: State-owned buildings; outdoor lighting; commissioner of buildings
8	and general services; commissioner of fish and wildlife;
9	commissioner of forests, parks and recreation; agency of
10	transportation
11	Statement of purpose: This bill proposes to establish standards for outdoor
12	lighting on state properties and at state buildings.
13	An act relating to outdoor lighting on state property
14	It is hereby enacted by the General Assembly of the State of Vermont:
15	Sec. 1. 10 V.S.A. § 591(b)(16) is added to read:
16	(16) "Illuminance" means the level of light measured at a surface.
17	Sec. 2. 10 V.S.A. § 2603(h) is added to read:
18	(h) For purposes of this subsection, the definitions of subsection 591(b) of

this title shall apply. An outdoor luminaire installed by the commissioner of

forests, parks and recreation shall:

1	(1) be a full cutoff luminaire if the rated output of the luminaire is
2	greater than 1,800 lumens;
3	(2) not exceed the minimum illuminance recommended by the
4	Illuminating Engineering Society of America or the federal Department of
5	Transportation; and
6	(3) be installed to minimize glare and light trespass beyond that needed
7	to provide safety or access or both.
8	Sec. 3. 10 V.S.A. § 4132(f) is added to read:
9	(f) For purposes of this subsection, the definitions of subsection 591(b) of
10	this title shall apply. An outdoor luminaire installed by the commissioner of
11	fish and wildlife shall:
12	(1) be a full cutoff luminaire if the rated output of the luminaire is
13	greater than 1,800 lumens;
14	(2) not exceed the minimum illuminance recommended by the
15	Illuminating Engineering Society of America or the federal Department of
16	Transportation; and
17	(3) be installed to minimize glare and light trespass beyond that needed
18	to provide safety or access or both.

Sec. 4. 19 V.S.A. § 26 is amended to re-	ad:
--	-----

8 26 PURCHASE AND SALE OF P	$P \cap DEPTV$

- (a) The agency may purchase or lease any land, taking conveyance in the name of the state, when land is needed in connection with the layout, construction, repair, and maintenance of any state highway, or the reconstruction of the highway. The agency may acquire or construct buildings necessary for use in connection with this work. When any of the land or the buildings acquired or the buildings constructed become no longer necessary for these purposes, the agency may sell or lease the property. The proceeds from any sale or lease shall be deposited in the transportation fund and, unless otherwise required by federal law or regulation, shall be credited to transportation buildings to be used for transportation building projects previously authorized by the general assembly.
- (b) For purposes of this subdivision, the definitions of 10 V.S.A. § 591(b) shall apply. An outdoor luminaire installed on state property by the agency shall:
- (1) be a full cutoff luminaire if the rated output of the luminaire is greater than 1,800 lumens;
- (2) not exceed the minimum illuminance recommended by the
 Illuminating Engineering Society of America or the federal Department of
 Transportation; and

1	(3) be installed to minimize glare and light trespass beyond that needed
2	to provide safety or access or both.
3	Sec. 5. 29 V.S.A. § 163 is added to read:
4	§ 163. OUTDOOR LIGHTING REQUIREMENTS
5	(a) For purposes of this section, the definitions of 10 V.S.A. § 591(b) shall
6	apply.
7	(b) An outdoor luminaire installed by the commissioner of buildings and
8	general services shall:
9	(1) be a full cutoff luminaire if the rated output of the luminaire is
10	greater than 1,800 lumens;
11	(2) not exceed the minimum illuminance recommended by the
12	Illuminating Engineering Society of America or the federal Department of
13	Transportation; and
14	(3) be installed to minimize glare and light trespass beyond that needed
15	to provide safety or access or both.
16	Sec. 6. TRANSITIONAL PROVISION
17	A luminaire installed prior to passage of this act is not subject to the

provision of this act unless and until it is replaced.

18