

### Facility Condition Indexes\*<sup>1</sup>

	Replacement Value		Deferred Maintenance	Facility Condition Index	
<b>CCWC</b>	\$ 4,992,350.00		\$ 8,886.00	0.18%	<b>Excellent</b>
<b>CRCF</b>	\$ 19,359,450.00		\$ 3,188,743.88	16.47%	<b>Fair</b>
<b>MVRCF</b>	\$ 15,486,600.00		\$ 143,732.53	0.93%	<b>Excellent</b>
<b>NERCF</b>	\$ 15,829,050.00		\$ 147,072.60	0.93%	<b>Excellent</b>
<b>NSCF</b>	\$ 50,973,000.00		\$ 2,054,563.10	4.03%	<b>Excellent</b>
<b>NWSCF</b>	\$ 32,768,850.00		\$ 5,394,711.51	16.46%	<b>Fair</b>
<b>SESCF</b>	\$ 22,060,800.00		\$ 994,992.00	4.51%	<b>Excellent</b>
<b>SSCF</b>	\$ 76,956,550.00		\$ 10,000.00	0.01%	<b>Excellent</b>
<b>Total</b>	<b>\$ 238,426,650.00</b>		<b>\$ 11,942,701.62</b>	<b>5.01%</b>	<b>Excellent</b>

\*<sup>1</sup> **Facility Condition Index {FCI}**: is the ratio of the “deferred maintenance costs to the asset value expressed as a percentage.