

**FY18 & FY19 Capital Budget Proposal - Section 10.1.E Municipal Pollution Control Grants**

Last Updated 2/8/2017 E Blatt, Facilities Engineering Division, DEC

Municipality	Project Description	Bond Status	Estimated Cost	FY18 & FY19 Grant Request
Prior Year Projects	Includes 6 pollution control projects that have received partial grants	All have passed their bond votes	44,249,821	35,000
Colchester FD #2	New sewer system to serve the Mallets Bay area. Various options to treat the collected sewage are being explored.	Not Yet Determined	18,700,000	500,000
St. Albans City	Sewer separation and drainage improvements to abate discharges of untreated sewage from the combined sewer overflow (CSO) located on/near Lower Weldon Street area. In order to ensure progress on the CSO abatement, DEC used its authority under 10 V.S.A § 1272 to order completion of specific abatement projects and to require submittal of monitoring reports.	1272 order monitoring continuing. Phasing projects. Fairfield Street done last year. Federal Street this year.	1,000,000	250,000
Town of St. Johnsbury	Primarily age-related refurbishments to correct deficiencies (process, equipment, and/or facility related) at the St. Johnsbury WWTF, replacement of collection system pump stations, and sewer separation and drainage improvements to abate discharges of untreated sewage from the combined sewer overflow (CSO) located on/near Oak Street.	Not Yet Determined	3,420,000	577,500
St. Albans City	Primarily age-related refurbishments to correct deficiencies (process, equipment, and/or facility related) at the St. Albans WWTF and replacement of the effluent filters in order to meet effluent Phosphorus limits established by the Lake Champlain TMDL.	Expected to Bond March 2017	17,400,000	1,750,000
Town of Bennington	Primarily age-related refurbishments to correct deficiencies (process, equipment, and/or facility related) at the Bennington WWTF including a key biological treatment component. Due to the severity of problems at the WWTF, DEC used its authority under 10 V.S.A § 1272 to order corrective action on 8/31/2016. Pursuant to the provisions of 10 V.S.A. § 8007(c), DEC is in the process of accepting an Assurance of Discontinuance (AOD) that will stipulate additional corrective actions.	The date of the bond vote is being negotiated as part of the AOD. At the latest will occur in the fall of 2017	10,000,000	197,500
Town of Ryegate	Replacement of a key treatment component at the South Ryegate WWTF that failed. The Town and DEC agreed to an AOD that was signed by the Superior Court, Environmental Division on 11/2/2016 and is now a Judicial Order.	Expected to Bond Spring 2017	90,000	31,500
<b>Total</b>			<b>94,859,821</b>	<b>3,341,500</b>