(Draft No. 2.2 – S.40) 4/18/2019 - MOG - 2:38 PM

1	TO THE HOUSE OF REPRESENTATIVES:
2	The Committee on Human Services to which was referred Senate Bill No.
3	40 entitled "An act relating to testing and remediation of lead in the drinking
4	water of schools and child care facilities" respectfully reports that it has
5	considered the same and recommends that the House propose to the Senate that
6	the report of the Committee on Education be amended as follows:
7	First: In Sec. 1, 18 V.S.A. chapter 24A, in section 1246, in subsection (b),
8	in the first sentence, after "Secretary of Natural Resources" and before "and
9	the Secretary of Education" by inserting ", the Commissioner for Children and
10	<u>Families,</u> "
11	Second: In Sec. 1, 18 V.S.A. chapter 24A, in section 1247, in subsection
12	(b), in the first sentence, after "Secretary of Natural Resources" and before
13	"and the Secretary of Education" by inserting ", the Commissioner for
14	Children and Families,"
15	And by striking out subdivision (b)(2) in its entirety and inserting in lieu
16	thereof a new subdivision (b)(2) to read as follows:
17	(2) the frequency of continued sampling of outlets by school districts,
18	supervisory unions, independent schools, and child care providers, provided
19	that continued sampling shall be required no less frequently than every three
20	<u>years;</u>

(Draft No. 2.2 – S.40) 4/18/2019 - MOG - 2:38 PM

1	And in subdivision (b)(4), before "conditions or criteria" by inserting
2	"exemptions from the requirements for sampling or remediation under this
3	chapter, including"
4	Third: By adding a Sec. 3a to read as follows:
5	Sec. 3a. DEPARTMENT FOR CHILDREN AND FAMILIES; RULES FOR
6	REGULATED CHILD CARE PROVIDERS
7	On or before December 31, 2020, the Commissioner for Children and
8	Families shall amend the rules for regulated child care providers to comply
9	with the requirements of 18 V.S.A. chapter 24A and rules adopted by the
10	Department of Health under that chapter for the testing of lead in the drinking
11	water of child care facilities.
12	Fourth: In Sec. 4, status of remediation of lead in schools and child care
13	facilities, in the first sentence, after "Secretary of Natural Resources" and
14	before "and the Secretary of Education" by inserting ", the Commissioner for
15	Children and Families,"
16	Fifth: By striking out Sec. 5, allocation; eligible costs, in its entirety and
17	inserting in lieu thereof a new Sec. 5 to read as follows:
18	Sec. 5. ALLOCATION OF FUNDS; REMEDIATION; ELIGIBLE COSTS
19	(a) For remediation required under 18 V.S.A. chapter 24A, the Department
20	of Health shall pay a school district, supervisory union, independent school, or

(Draft No. 2.2 – S.40) 4/18/2019 - MOG - 2:38 PM

1	child care provider the actual cost of replacement of a drinking water fixture up
2	to the following maximum amount for each type of fixture:
3	(1) public drinking fountains and ice machines: \$2,000.00;
4	(2) outlets used for cooking: \$700.00;
5	(3) all other outlets: \$400.00.
6	(b) The State shall make payments to school districts, supervisory unions,
7	independent schools, or child care providers under this section from one-time
8	funds appropriated to the Department of Health in fiscal years 2019 and 2020
9	for the costs of initial testing, retesting, and remediation under 18 V.S.A.
10	chapter 24A. Funds appropriated to the Department of Health in Sec. 88 (a)(2)
11	of H.532 of 2019 may be transferred to the State agency or department
12	administering these payments.
13	
14	
15	(Committee vote:)
16	
17	Representative
18	FOR THE COMMITTEE