# Telehealth Utilization in Vermont, 2018-2022

February 6, 2024

Ali Johnson, MBA, Quality Improvement Specialist

Prepared for the House Committee on Health Care



#### Outline







PURPOSE OF REPORT

INFORMATION USED

KEY QUESTIONS





**FINDINGS** 

A NOTE ON QUALITY

### Purpose of Report

#### Purpose

 During the COVID-19 Public Health Emergency (PHE), telehealth became an essential tool for providers and patients to minimize the spread of COVID-19 and support continuity of care.

Under 18 VSA § 9416, and in alignment with Act 6 of 2021, Vermont Department of Health contracted with VPQHC and Policy Integrity, LLC to examine Vermont population-level telehealth trends based on claims data for 2018-2022.

#### Acknowledgement ~ VDH

 This project is supported with funding from the Vermont Department of Health. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of VDH.

#### Information Used

## VHCURES: Vermont Healthcare Claims Uniform Reporting and Evaluation System


- Vermont's All-Payer claims database.
- Includes health care utilization, costs, and resources provided in Vermont and to Vermont residents in other states.
- By law (18 V.S.A. § 9410), health insurers, health care providers, hospitals, other health care facilities, and governmental agencies must submit information specified by GMCB.
- Does *not* contain complete data on the Vermont health care market because of its specific scope and the exclusion of certain payers, including self-insured payers, federal employee plans, Veterans' Affairs and TRICARE, self-pay (uninsured), and payers with an average Vermont resident enrollment of fewer than 200.
- Claims are not clinical records.


#### Acknowledgement ~ GMCB

 VPQHC acknowledges the Green Mountain Care Board as the steward of the data and the Vermont Health Care Uniform Reporting and Evaluation System (VHCURES) as the source of the data in this presentation.

• The analyses, conclusions, and recommendations drawn from the data are solely those of VPQHC and are not necessarily those of the GMCB.

#### Information Used ~ Claims





#### How We Defined 'Telehealth' Claims

Place of Service	Procedure Modifier
02 - Telehealth provided other than in patient's home.	93 – Synchronous telemedicine service rendered via telephone or other real-time interactive audio-only telecommunications system
10 - Telehealth provided in patient's home.	95 – Synchronous telemedicine service rendered via real- time interactive audio and video telecommunications system
99 - Other place of service	FQ – A mental health telehealth service was furnished using real-time audio-only communication technology
	GQ – Synchronous telemedicine service rendered via telephone or other real-time interactive audio-only telecommunications system
	GT – Synchronous telemedicine service rendered via real- time interactive audio and video telecommunications system
	V3 – Audio-only
	V4 – Audio-only

#### 'Telehealth' Claims, Continued

- Three CPT codes were always included:
  - 99441, 99442, 99443
  - telephone evaluation and management visits
- If a claim had one code indicating audio-only and another code indicating audio-visual, it was classified as audio-visual.

## Key Questions

#### Key Questions

- How has telehealth impacted utilization of professional services?
- What are patterns of audio-visual and audio-only use?
- Has the pattern of the telehealth provider location changed?

## Findings

**VERMONT** 

#### TELEHEALTH SERVICES


Before and During the COVID-19 Public Health Emergency



# Use of professional services changed during the PHE.

- The number of services dropped in 2020, then rebounded with the continuation of a general decline.
- Contributing factors might be:
  - changes in the market share of the payers selected
  - the number of people included in VHCURES


Figure 1. Professional Services by Year, Vermont, 2018-2022



# Telehealth services appear to have been used as a substitute for in-person services.

 Audio-only services represented a very small proportion of total services.

Figure 3. Professional Services by Modality and Year, 2018-2022



# During the PHE, use of telehealth and all services varied by payer.



Overall use of services by Medicare and Medicaid members was higher than private coverage.



Use of audio-visual telehealth was highest among those covered by BCBSVT and Medicaid.



Use of audio-only telehealth was highest among Medicaid, Medicare, and Cigna beneficiaries.

Table 2. Professional Services by Modality, Payer, and Year, Vermont, 2020-2022 (Services/1,000 Covered Lives)

Payer	Service Type	2020	2021	2022
	Audio-Only	11.6	11.0	69.2
Blue Cross Blue Shield	Audio-Visual	2,672.6	2,794.8	2,096.8
Dide Closs Blue Siliela	In-Person	11,885.9	14,133.5	13,507.5
	Total	14,570.2	16,939.2	15,673.5
	Audio-Only	195.7	104.5	50.1
Cigna	Audio-Visual	1,264.6	1,404.9	1,185.0
	In-Person	10,674.4	12,736.7	13,361.9
	Total	12,134.7	14,246.1	14,597.1
	Audio-Only	285.1	191.0	161.5
Medicaid	Audio-Visual	2,423.3	2,463.7	1,952.6
	In-Person	16,813.8	17,160.7	16,104.2
	Total	19,522.3	19,815.4	18,218.4
	Audio-Only	305.4	124.3	68.0
			4 407 0	
Medicare	Audio-Visual	1,388.2	1,187.3	876.2
Medicare	Audio-Visual In-Person	1,388.2 19,742.1	1,187.3 21,996.7	876.2 20,394.2
Medicare				
Medicare	In-Person Total	19,742.1 21,435.7	21,996.7 23,308.4	20,394.2
Medicare	In-Person Total Audio-Only	19,742.1	21,996.7 23,308.4 25.9	20,394.2
Medicare MVP	In-Person Total	19,742.1 21,435.7	21,996.7 23,308.4 25.9 1,654.2	20,394.2 21,338.4
	In-Person Total Audio-Only	19,742.1 21,435.7 46.5	21,996.7 23,308.4 25.9	20,394.2 21,338.4 57.3
	In-Person Total Audio-Only Audio-Visual	19,742.1 21,435.7 46.5 1,549.7	21,996.7 23,308.4 25.9 1,654.2	20,394.2 21,338.4 57.3 1,279.0
	In-Person Total  Audio-Only Audio-Visual In-Person Total	19,742.1 21,435.7 46.5 1,549.7 9,494.7	21,996.7 23,308.4 25.9 1,654.2 11,433.3	20,394.2 21,338.4 57.3 1,279.0 12,267.6 13,603.9
	In-Person Total  Audio-Only Audio-Visual In-Person	19,742.1 21,435.7 46.5 1,549.7 9,494.7	21,996.7 23,308.4 25.9 1,654.2 11,433.3	20,394.2 21,338.4 57.3 1,279.0 12,267.6
	In-Person Total  Audio-Only Audio-Visual In-Person Total	19,742.1 21,435.7 46.5 1,549.7 9,494.7 11,090.9	21,996.7 23,308.4 25.9 1,654.2 11,433.3 13,113.5	20,394.2 21,338.4 57.3 1,279.0 12,267.6 13,603.9
MVP	In-Person Total  Audio-Only Audio-Visual In-Person Total  Audio-Only	19,742.1 21,435.7 46.5 1,549.7 9,494.7 11,090.9	21,996.7 23,308.4 25.9 1,654.2 11,433.3 13,113.5	20,394.2 21,338.4 57.3 1,279.0 12,267.6 13,603.9

# People with mental health diagnoses used nearly 80% of all telehealth services.

 However, the portion of all telehealth that was audio-only was lower for mental health than any other diagnostic category.


Table 4. Telehealth Services by Modality and Diagnostic Category, Vermont, 2022

ICD-10-CM Category	Description		Audio- Only	Audio- Visual		% of Total Audio- Only Services	% of Total Audio- Visual Services	% Audio- Only Services in Category
Α	Infectious Diseases		108	1,014		0.2%	0.1%	9.6%
В	Infectious Diseases		180	1,171		0.4%	0.2%	13.3%
С	Neoplasms		1,079	3,780		2.4%	0.5%	22.2%
D	In Situ Neoplasms & Blood Diseases		527	2,299		1.2%	0.3%	18.6%
Е	Metabolic Diseases		1,081	10,160		2.4%	1.4%	9.6%
F	Mental Disorders		27,669	599,710		62.1%	84.0%	4.4%
G	Nervous System Diseases		1,122	11,934		2.5%	1.7%	8.6%
H	Diseases of Eye & Ear		134	1,310		0.3%	0.2%	9.3%
1	Circulatory System Diseases		1,441	5,128		3.2%	0.7%	21.9%
1	Respiratory System Diseases		934	6,317		2.1%	0.9%	12.9%
К	Digestive System Diseases		681	4,969		1.5%	0.7%	12.1%
L	Diseases of Skin		355	3,697		0.8%	0.5%	8.8%
M	Musculoskeletal Diseases		2,460	13,995		5.5%	2.0%	14.9%
N	Genitourinary Diseases		996	5,207		2.2%	0.7%	16.1%
О	Diseases of Pregnancy & Childbirth		95	509		0.2%	0.1%	15.7%
Q	Congenital Malformations & Chromosomal Abnormalities		65	476		0.1%	0.1%	12.0%
R	Signs & Symptoms		2,228	18,177		5.0%	2.5%	10.9%
S	Injury & Poisoning		235	1,194		0.5%	0.2%	16.4%
Т	Injury & Poisoning		61	477		0.1%	0.1%	11.3%
U	Special Purposes		833	4,776		1.9%	0.7%	14.9%
P,V,Y	All Other		*	148		*	0.0%	*
Z	Health Status Factors		2,270	17,753		5.1%	2.5%	11.3%
Total**			44,554	714,201				
* Counts or percentages based on fewer than 11 services are suppressed.  **Audio-Only Total excludes cells with fewer than 11 services.								
	**Audio-Only T	ota	al exclude	s cells with	fe	wer than 11 s	ervices.	

# Use of telehealth varied by diagnosis and age.

- Services for people with mental health diagnoses accounted for over 90% of all telehealth use in ages 10-34...
- and declined as age increased.


Figure 4. Telehealth Services by Modality, Age, and Diagnostic Category, Vermont, 2022
Services/1,000 Covered Lives



During the PHE, telehealth services by other states' providers shifted to a much greater reliance on VT providers.

 May be due to patients' continuing to use local providers but shifting from in-person to telehealth services.

Figure 5. Telehealth Services by Provider State and Year, 2018-2022



### A Note on Quality

#### Telehealth Quality

- Claims are not clinical records.
- More research is needed on the quality of care delivered through telehealth, including audio-only telemedicine.
- VPQHC has been tracking research related to clinical quality and audio-only telemedicine.

# Audio-Only Telemedicine and Clinical Quality Tracking Sheet



Audio-only Telemedicine & Clinical Quality Research Tracking - Last Updated December 22, 2023									
Title		Link	Description	Notes	Date				
Use of New Audio-Only Telemedicine Claim Modifiers	JAMA Network Open	https://jamanetwork.com/journals/ja manetworkopen/fullarticle/2812892	A study describing early trends in the use of new audio-only telemedicine claims modifiers 93 and FQ in Washington State, which were introduced to improve the designation and identification of audio-only telemedicine claims.	In this study, uptake of new audio-only telemedicine claims modifiers 93 and FQ remained low; preliminary trends suggest that audio-only telemedicine may offer important means to access behavioral health and prenatal care.	12/18/2023				
Family caregivers' satisfaction with telerehabilitation and follow-up intervention for older people with dementia: Randomized clinical trial	Geriatric Nursing	https://www.sciencedirect.com/science/article/abs/pii/S019745722300201X 2via%3Dihub	The present study aimed to assess caregiver satisfaction with a telerehabilitation program and remote monitoring for older adults with dementia and their caregivers during the COVID-19 pandemio, as well as to identify the factors influencing caregiver satisfaction.	Both groups expressed positive views towards the treatment, with excellent ratings for audio and video quality, and a preference for Internet-based treatment over face-to-face.	9/11/2023				
Care Redesign to Support Telemedicine Implementation During the COVID-19 Pandemic: Federally Qualified Health Center Personnel Experiences	Journal of the American Board of Family Medicine (JABFM)	https://www.jabfm.org/content/36/5/ 712.long	This study analyzes FQHC personnel accounts of care redesign strategies to support telemedicine implementation in 2020 and 2021, and identifies improvement opportunities.	Clinics' strategy of using phone visits to increase privacy underscores the need to continue offering audio-only visits in FQHCs, whose patients often have few alternative privacy-enhancing options.	8/30/2023				
Impact of Telemedicine Modality on Quality Metrics in Diverse Settings: Implementation Science-Informed Retrospective Cohort Study	Journal of Medical Internet Research	https://www.ncbi.nlm.nih.gov/pmc/ar ticles/PMC10413089/	The aim of this study was to assess telemedicine uptake and impact of visit modality (in-person vs video and phone visits) on primary care quality metrics in diverse, low socioeconomic status settings.	We found marginally better quality metrics (ie, blood pressure and depression screening) for in-person care versus video and phone visits; de-adoption of telemedicine was marked within 2 years in our population.	7/26/2023				
Feasibility, Acceptability, and Health Outcomes Associated with Telehealth for Children in Families with Limited English Proficiency: A Systematic Review	Academic Pediatrics	https://pubmed.ncbi.nlm.nih.gov/373 85437/	A systematic review of the feasibility, acceptability, and/or associations between telehealth delivery and health outcomes for interventions delivered synchronously in the US.	Telehealth appears acceptable and feasible among children in families with limited English proficiency (LEP), with a limited evidence base for specific health outcomes.	6/27/2023				



## Thanks to Our Collaborators

- Bi-State Primary Care Association
- BlueCross and BlueShield Vermont
- Cigna
- Dartmouth Health
- Department of Financial Regulation
- Department of Vermont Health Access (Medicaid)
- Green Mountain Care Board
- MVP
- The University of Vermont Health Network
- Vermont Association of Hospitals and Health Systems
- Vermont Medical Society

#### Special Thanks

• To Steve Kappel of Policy Integrity, LLC for analyzing the claims data and drafting much of the report.

#### Contact



Ali Johnson, MBA
she/her
Quality Improvement Specialist
Vermont Program for Quality in Health Care, Inc.

alij@vpqhc.org