

## **8.0 CROP USE DIRECTIONS**

### **8.1 Alfalfa**

8.1.1 Preplant, Preemergence, Broadcast, or Banded Over-Row Applications to No-Till or Conventional Planting

8.1.2 New Seedlings Grown for Hay in California Only

8.1.3 Between-Cuttings Treatment in Established Planting

8.1.4 Dormant Season Applications

8.1.5 Tank-Mix Combinations of Dormant Season Applications

8.1.6 Alfalfa: Geographical Restrictions Map

### **8.2 Artichoke, Globe**

### **8.3 Asparagus**

### **8.4 Berries and Small Fruit**

8.4.1 Berries

8.4.2 Kiwifruit

8.4.3 Strawberries

### **8.5 Cacao**

### **8.6 Cassava and Yam**

### **8.7 Cereal Grains**

### **8.8 Citrus Fruit**

### **8.9 Coffee**

### **8.10 Corn**

8.10.1 Preplant or Preemergence Application

8.10.2 Postemergence Directed Spray

8.10.3 Harvest Aid Broadcast

### **8.11 Cotton**

8.11.1 Preplant and Preemergence Applications

8.11.2 Postemergence Directed Spray Application

8.11.3 Harvest Aid and Post Harvest Applications

8.11.4 Tank-Mix Combinations for Harvest Aid Applications

**8.12 Cover Crop Burndown**

**8.13 Cucurbit Vegetables, Crop Group 9**

**8.14 Fallow and Chemical Fallow Applications**

**8.15 Fruiting Vegetables**

8.15.1 Preplant and Preemergence, Crop Group 8, except Tomato

8.15.2 Post Directed Application

8.15.3 Okra

8.15.4 Tomatoes

**8.16 Ginger**

**8.17 Grapes**

**8.18 Grasses Grown for Seed**

**8.19 Hops**

**8.20 Leafy Vegetables, Brassica (Cole)**

8.20.1 Seeded or Transplanted

8.20.2 Tyfon

**8.21 Leafy Vegetables, Except Brassica Vegetables**

8.21.1 Seeded or Transplanted

8.21.2 Rhubarb, Dormant Season Application

**8.22 Legume Vegetables (Succulent or Dried)**

8.22.1 Beans and Peas (Succulent)

8.22.2 Dry Bean and Pea (except Guar Bean and Soybean)

8.22.3 Pigeon Peas, Puerto Rico Only

8.22.4 Guar, Harvest Aid

## **8.23 Mint, Dormant Season Application**

## **8.24 Nongrass Animal Feed (Forage, Feed, Straw, Hay), Crop Group 18, except Alfalfa and Kudzu**

## **8.25 Onion and Garlic**

8.25.1 Onion, Dry Bulb

8.25.2 Onion (Seeded) and Garlic

## **8.26 Oilseed Crops**

8.26.1 Safflower

8.26.2 Sunflower

## **8.27 Pasture and Conservation Lands**

8.27.1 Conservation Reserve, Federal Set-Aside, Conservation Compliance Programs

8.27.2 Pasture Reseeding

8.27.3 Control of Endophyte-Fungus in Forage Legume/Grass Pastures

8.27.4 Juniper Species Leaf Moisture Reduction or Desiccation

8.27.5 Native Pastures

## **8.28 Peanuts**

8.28.1 Postemergence Applications

8.28.2 Tank-Mix Combinations

8.28.3 Postemergence Ropewick Application

## **8.29 Pome Fruit**

## **8.30 Rice**

## **8.31 Root and Tubers**

8.31.1 Carrots and Turnips

8.31.2 Sugarbeets

8.31.3 Taniers

8.31.4 Taro

## **8.32 Sorghum**

8.32.1 Preplant or Preemergence Application

8.32.2 Postemergence Application

## **8.33 Soybean**

8.33.1 Preplant and Preemergence Applications

8.33.2 Postemergence Applications

8.33.3 Postemergence Applications - Harvest Aid for Research, Field Trials and Seed Production Only:

## **8.34 Stone Fruit**

## **8.35 Sugarcane**

## **8.36 Tree Nuts, Crop Group 14, and Pistachios**

## **8.37 Tropical and Subtropical Fruit**

8.37.1 Tropical and Subtropical Fruit with Edible Peel

8.37.2 Tropical and Subtropical Fruit with Inedible Peel

## **8.38 Tuberous and Corm Vegetables**